

AMARONE



- + Agrii's biggest selling conventional variety
- + Excellent agronomy package including TuYV resistance

Breeder

Limagrain UK

Type:

Conventional

AHDB region:

UK-wide

Amarone has a Northern AHDB Recommendation but it performed well across the UK in Agrii trials over the past three years (100% treated, 45.2% oil). From the same breeder as Aardvark, it has already become Agrii's most popular conventional variety.

Suitable for all soil types including more fertile situations. Relatively slow in the autumn (6) but quick to grow away in the spring (8). Relatively short (131 cm) and stiff (8) (9) and mid-maturity (5) (6).

Good all-round disease resistance with light leaf spot (7) (5) but weak against phoma/canker resistance (4) (6). It shows average susceptibility to Verticillium stem stripe (6) but, in spite of showing some symptoms, it appears to yield consistently well and clearly benefits from the TuYV resistance trait.





Agrii data	Yield %	UK GO treated (4.7 t/ha)	101
		UK GO untreated	86
		% Oil	45.4
	Agronomy (1-9)	Autumn vigour	6
		Spring vigour	6
		Height (cm)	131
		Lodging	9
	Maturity	6	
	Disease	Light leaf spot	5
		Phoma (AHDB)	7
		Verticillium tolerance	6 (I)
		TuYV tolerance	-
	Traits	Pod shatter	-
	Variety Sustainability Rating (VSR)		Medium



AHDB data	Yield %	UK GO treated (5.3 t/ha)	95
		E/W GO (5.2 t/ha)	94
		North GO (5.9 t/ha)	100
		% Oil	44.7
	Agronomy (1-9)	Lodging	8
		Stem stiffness	8
		Height (cm)	136
		Flowering	7
		Maturity	5
		Light leaf spot	7
Stem Canker	4		

Note: Full AHDB dataset is available from AHDB at www.ahdb.org.uk

AMARONE



AMARONE



AMARONE

